


CLASSIC COLLECTION

RMX 2 COLONNE PAG. 150 / 153




dati tecnici per elemento / technical data per section / mesures techniques pour élément / detalles técnicos por elemento

altezza height hauteur altura (H) mm	larghezza width largeur anchura (L) mm	interasse interpace entree interje (I) mm	peso weight poids peso kg	resa output rendement rendimiento watt ΔT 30°C	resa output rendement rendimiento watt ΔT 50°C
300	46	244	0,49	13	26
400	46	344	0,63	17	33
500	46	444	0,77	20	40
556	46	500	0,85	22	44
600	46	544	0,91	24	47
656	46	600	0,99	26	51
676	46	620	1,02	27	52
750	46	694	1,12	29	57
756	46	700	1,20	30	58
856	46	800	1,27	33	65
876	46	820	1,30	34	66
900	46	844	1,33	35	68
1000	46	944	1,48	38	75
1200	46	1144	1,76	46	90
1500	46	1444	2,18	57	111
1800	46	1744	2,60	68	134
2000	46	1944	2,89	77	150
2200	46	2144	3,17	85	166
2500	46	2444	3,56	97	191

Per tutto quello qui non specificato, si prega di contattare l'ufficio commerciale/tecnico della K8 radiator. For anything not specified here, kindly contact the Sales/technical Dept. of K8 Radiator.

CLASSIC COLLECTION

RMX 3 COLONNE PAG. 150 / 153




dati tecnici per elemento / technical data per section / mesures techniques pour élément / detalles técnicos por elemento

altezza height hauteur altura (H) mm	larghezza width largeur anchura (L) mm	interasse interpace entree interje (I) mm	peso weight poids peso kg	resa output rendement rendimiento watt ΔT 30°C	resa output rendement rendimiento watt ΔT 50°C
300	46	244	0,74	18	35
400	46	344	0,95	23	45
500	46	444	1,16	28	55
556	46	500	1,28	31	61
600	46	544	1,37	33	65
656	46	600	1,49	36	71
676	46	620	1,53	37	73
750	46	694	1,69	41	80
756	46	700	1,70	41	81
856	46	800	1,91	46	90
876	46	820	1,96	47	92
900	46	844	2,01	48	95
1000	46	944	2,22	53	104
1200	46	1144	2,64	63	124
1500	46	1444	3,28	78	152
1800	46	1744	3,91	92	180
2000	46	1944	4,33	101	199
2200	46	2144	4,76	111	218
2500	46	2444	5,39	125	246

Per tutto quello qui non specificato, si prega di contattare l'ufficio commerciale/tecnico della K8 radiator. For anything not specified here, kindly contact the Sales/technical Dept. of K8 Radiator.

CLASSIC COLLECTION

RMX 4 COLONNE PAG. 150 / 153




dati tecnici per elemento / technical data per section / mesures techniques pour élément / detalles técnicos por elemento

altezza height hauteur altura (H) mm	larghezza width largeur anchura (L) mm	profondità depth profondeur intersejo (I) mm	peso weight poids peso kg	resa output rendiment rendimiento wat. ΔT 30°C	resa output rendiment rendimiento wat. ΔT 50°C
300	46	244	0,99	24	47
400	46	344	1,27	31	60
500	46	444	1,55	37	72
556	46	500	1,71	40	79
600	46	544	1,84	43	85
656	46	600	1,99	47	92
676	46	620	2,05	48	94
750	46	694	2,26	53	103
756	46	700	2,28	53	104
856	46	800	2,58	59	116
876	46	820	2,61	60	118
900	46	844	2,68	62	121
1000	46	944	2,96	68	133
1200	46	1144	3,53	80	156
1500	46	1444	4,37	97	191
1800	46	1744	5,22	116	227
2000	46	1944	5,78	128	250
2200	46	2144	6,35	140	274
2500	46	2444	7,19	158	310

Per tutto quello qui non specificato, si prega di contattare l'ufficio commerciale/tecnico della KR radiator. For anything not specified here, kindly contact the Sales/Technical Dept. of KR Radiator.

CLASSIC COLLECTION


RMX 5 COLONNE PAG. 150 / 153



dati tecnici per elemento / technical data per section / mesures techniques pour élément / detalles técnicos por elemento

altezza height hauteur altura (H) mm	larghezza width largeur anchura (L) mm	profondità depth profondeur intersejo (I) mm	peso weight poids peso kg	resa output rendiment rendimiento wat. ΔT 30°C	resa output rendiment rendimiento wat. ΔT 50°C
300	46	244	1,24	29	57
400	46	344	1,59	37	72
500	46	444	1,95	45	88
556	46	500	2,14	49	96
600	46	544	2,30	53	103
656	46	600	2,50	57	111
676	46	620	2,57	58	114
750	46	694	2,83	64	125
756	46	700	2,85	64	126
856	46	800	3,20	71	140
876	46	820	3,27	73	143
900	46	844	3,36	74	146
1000	46	944	3,71	82	161
1200	46	1144	4,41	96	189
1500	46	1444	5,47	117	230
1800	46	1744	6,53	139	272
2000	46	1944	7,23	152	299
2200	46	2144	7,94	166	326
2500	46	2444	9,00	187	367

Per tutto quello qui non specificato, si prega di contattare l'ufficio commerciale/tecnico della KR radiator. For anything not specified here, kindly contact the Sales/Technical Dept. of KR Radiator.

RMX 6 COLONNE PAG. 150 / 153

dati tecnici per elemento / technical data per section / mesures techniques pour élément / detalles técnicos por elemento

altezza height hauteur altura (H) mm	larghezza width largeur anchura (L) mm	interasse interspace interaxe intereje (I) mm	peso weight poids peso kg	resa output rendement rendimiento watt ΔT 30°C	resa output rendement rendimiento watt ΔT 50°C
300	46	244	1,49	35	68
400	46	344	1,92	44	87
500	46	444	2,34	54	106
556	46	500	2,58	60	117
600	46	544	2,76	64	125
656	46	600	3,00	69	135
676	46	620	3,09	70	138
750	46	694	3,40	77	151
756	46	700	3,42	78	152
856	46	800	3,85	86	169
876	46	820	3,93	88	172
900	46	844	4,03	90	176
1000	46	944	4,46	98	193
1200	46	1144	5,30	115	225
1500	46	1444	6,57	138	270
1800	46	1744	7,84	160	313
2000	46	1944	8,69	173	340
2200	46	2144	9,53	187	366
2500	46	2444	10,80	206	403

Per tutto quello qui non specificato, si prega di contattare l'ufficio commerciale/tecnico della K8 radiatori . For anything not specified here, kindly contact the Sales/Technical Dept. of K8 Radiatori.